

Self-service Kiosk | Vision S | HS330A

Key Features

- ❑ 23.8" True flat capacitive touch screen enhancing user experience
- ❑ Powered by Intel® Core™ i3/i5 12th/13th Gen CPU for outstanding performance and seamless multitasking;
- ❑ Membership camera/Facial payment camera enables fast, secure, and frictionless transactions;
- ❑ Flexible operational scenarios; wall mount or floor stand
- ❑ Easy maintenance design for quick service
- ❑ Ultra-thin form factor with glass panel and aluminium alloy frame for a modern, premium look.



MODEL		HS330A	
Processor		Intel Alder Lake , Intel 12 th Gen CPU : Core i3 12gen Optional : Core i5 12gen, Core i3 13 gen, Cor i5 13gen.	
Operating System		Windows 10/Windows 11/Linux	
Memory		SO-DIMM DDR4 3200MHz 8GB, up to 32GB	
Storage		2.5inch SATA SSD 128GB, up to 512GB	
		M.2 NVME/SATA 128GB, up 512GB	
Display Panel		23.8inch TFT-LCD 16:9 Display resolution:1920*1080	
Touch Screen		True flat capacitive touch screen	
Power Supply		24V 120W power supply	
Integrated Scanner		Single window, support 1D/2D barcode Standard small scanner window type Optional big scanner window type	
Integrated Printer		58/80mm thermal printer	
Speaker		3W 4R Speaker	
I/O Ports		1* RJ45 , 100M/1000M Gigabit LAN port	
		8*USB Ports	
		4*Serial Ports	
Optional Peripheral s	Transaction camera	Face ID camera or Membership camera	
	MIC	optional	
	Wireless Connection	Dual-band Wi-Fi® 802.11a/b/g/n/ac 2.4GHz/5GHz	
		BT5.0	
	Alarm light	Small alarm light	Alarm light
			Security camera (optional)
			Number plate (optional)
	Card reader	MSR (only)	
		MSR +RFID	
	Stand	Ground Stand	
		Big Metal plate(optional for no grounding screws)	
	Wall Mount	Wall mount bracket(for no stand)	
	Shelving Tray	Small shelving Tray(metal /plastic)	
		Big shelving Tray(metal /plastic)	
		Plastic bag holder(optional ,below tray)	
	Bracket	External EFTPOS holder	
		External Printer holder	
		Handheld scanner holder	
	Security scale	60kg security scale	
Operating Voltage		110V/240V AC, 50-60hz	

MODEL		HS330A
Environment	Operating	5°C - 40°C/40%-60% RH non-condensing
	Storage	-5°C - 50°C/30%-80% RH non-condensing
EMC and Safety		FCC /CE / RoHS
Colour		Black



□ Front-opening door design simplifies access and maintenance

□ Extensive peripheral support for seamless integration

□ Sleek, architectural design that defines modern retail



Disclaimer: All products specifications are subject to change without notice.