

Key Features

- ❑ Processor Intel Celeron J6412 provide competitive performance
- ❑ All aluminum alloy shell, Fanless design for silent operation
- ❑ Dual HDMI Port ,support duplicate or extend mode
- ❑ Various interfaces meet the needs of different scenarios



MODEL		HK600
Processor		Intel Celeron J6412, Elkhart Lake, Quad-core 2.0GHz up to 2.6GHz
Operating System		Windows 10/Windows11/Linux
Memory		1* SO-DIMM DDR4 3200MHz 4GB, up to 16GB
Storage		M.2 2280 SATA 128GB, up to 512GB
Power Supply		24V 150W/ 120W
IO Ports	Serial Port	3* DB9 COM Ports
		1* RJ50 COM Ports
		COM3/COM4 can be set voltage
	USB	2*USB 3.0 TYPE A
		2*USB 2.0 TYPE A
		3* 12V PowerUSB
		1*24V PowerUSB
	LAN	1*RJ45, support 10/100/1000Mbps adaptive network
	Cash Drawer	1* RJ11 24V cash drawer Port
	Audio	1*Line-MIC
Power-in	1*24V Power-in	
Video	2*HDMI Ports	
Button	1* Power Button	
Optional features	Wireless	Wifi &BT feature
	bracket	Rail Bracket on both side(for wall mount/ desk mount)
	Cable	Power Cable for Monitors
Dimensions (LxWxH)		224×156×70mm (without antenna)
Weight		1.95KG
Operating Voltage		100V~240V
Casing Material		High-quality aluminum alloy / sandblasted oxidation
Environment	Operating	-10°C - 60°C/5%-95% RH non-condensing
	Storage	-20°C - 85°C/5%-95% RH non-condensing
EMC and Safety		CE , FCC Pending
Colour		Silver-Gray



□ Variety IO Ports



Disclaimer: All products specifications are subject to change without notice.

QINGDAO HISTONE INTELLIGENT COMMERCIAL SYSTEM CO.,LTD.
Wisdom Valley,NO.8 Shengshui Road, Laoshan District, Qingdao City, China.

Tel: +86 (532) 66069168

infopos@histonetec.com

www.hics.histonetec.com

HiStone