

HiStone

KDS | HD220E

Key Features


- ❑ Intel® Apollo Lake CPU delivering power and performance
- ❑ 21.5" Horizontal full HD screen with bezel free design
- ❑ Multi-Touch True flat capacitive touch panel
- ❑ 100*100mm VESA mounting compatibility
- ❑ Front panel IP54 protection design, oil proof, waterproof and corrosion resistant
- ❑ Slim and sleek design



MODEL		HD220E
Processor		Intel® Apollo Lake J3455 CPU SOC 1.5GHz up to 2.3GHz
Operating System		Windows 10
Memory		SO-DIMM DDR3 1866MHz 4GB up to 8GB
Storage		SATA SSD 128GB M.2
Display Panel		21.5" LED widescreen Standard resolution: 1920 x 1080
Display Ratio		16:9
Backlight Type		WLED
Backlight Lamp Life		30000 (Hours to ½ Brightness)
Active Display Area (HxV)		476.64 x 268.11 mm ±3 mm
Native Resolution		1920(RGB) x 1080(FHD)
Colors		16.7M, 72% NTSC
Luminance		250nits
Contrast Ratio		1000:01
Viewing Angle (cr ≥ 10)		Horizontal 178° (89°/89°) Vertical 178° (89°/89°)
Touch Screen		True flat capacitive touch screen
		Projective Capacitive Touch (P-Cap)
Touch Response Time		30ms
Touch Screen Interface		USB
Surface Hardness		≥6H
Power Supply		Output: 12V 60W Input: 100-240V 50-60Hz
Speaker		3W Speaker
I/O Ports	USB	2* 3.0, 2* 2.0
	LAN	1* RJ45 1000MB Gigabit Ethernet
		10M/100M/1000M Adaptive Internet
	Audio	1* 3.5mm output
		1* Audio input for MIC
	HDMI	1* HDMI
VGA	1* VGA	
Optional Peripherals	Wi-Fi®	Dual-band 802.11b/g/n/ac 2.4GHz/5GHz
	Bluetooth	4.0 Optional
Wall Mount		VESA Mount 100 x 100 mm
Dimensions (WxDxH)		527.5 x 54.4 x 319 mm
Weight		4.8kg
Packaged Weight		6kg

MODEL		HD220E
Environment	Operating	0°C - 40°C / 20%-80% RH non-condensing
	Storage	-20°C - 60°C / 10%-95% RH non-condensing
EMC and Safety		FCC pending / CE
Colour		Black

VESA Wall Mount Capability



Optional Wi-Fi



Disclaimer: All products specifications are subject to change without notice.